

Package: cran (via r-universe)

September 1, 2024

Version 0.0.0.9001

Title Convert Volumes To Units Of Uncleaned Herring

Description Convert a supplied volume measurement to 'crans': 'a unit of measure of landed uncleaned herring used in the North Sea fishing industry' <[https://en.wikipedia.org/wiki/Cran_\(unit\)](https://en.wikipedia.org/wiki/Cran_(unit))>.

License CC0

Encoding UTF-8

LazyData true

Roxygen list(markdown = TRUE)

RoxygenNote 7.1.2

Imports units (>= 0.6.7)

Repository <https://matt-dray.r-universe.dev>

RemoteUrl <https://github.com/matt-dray/cran>

RemoteRef HEAD

RemoteSha 9c2acb4ce65e453215201ab49683ad2234981432

Contents

cran_convert	1
cran_install	2
cran_remove	3

Index

4

cran_convert *Convert Volumes To Units Of Uncleaned Herring*

Description

Converts a supplied volume measurement to crans.

Usage

```
cran_convert(value, unit)
```

Arguments

- | | |
|-------|---|
| value | Numeric. The value of the measurement to convert from. |
| unit | Character. The unit of the measurement to convert from. Must be a recognised volume unit as per <code>units::valid_udunits()</code> . |

Value

An object of class `units`.

Examples

```
## Not run:  
# 170.5 L is 1 cran  
cran_convert(170.5, "L")  
  
## End(Not run)
```

`cran_install`

Install Cran Conversion

Description

Create the cran measurement unit. Asks for user input. Runs on startup.

Usage

```
cran_install()
```

Value

Nothing.

See Also

[cran_remove](#)

`cran_remove` *Remove Cran Conversion*

Description

Remove the cran measurement unit. Asks for user input.

Usage

`cran_remove()`

Value

Nothing.

See Also

[`cran_install`](#)

Index

`cran_convert`, 1
`cran_install`, 2, 3
`cran_remove`, 2, 3