

Package: pico (via r-universe)

August 23, 2024

Title Create a Pico Package

Version 0.0.0.9000

Description Generate a package skeleton with the minimum structure and content required for an R package.

URL <https://github.com/matt-dray/pico>

BugReports <https://github.com/matt-dray/pico/issues>

License CC0

Encoding UTF-8

LazyData true

Roxygen list(markdown = TRUE)

RoxygenNote 7.1.1

Suggests testthat (>= 3.0.0), covr

Config/testthat/edition 3

Repository <https://matt-dray.r-universe.dev>

RemoteUrl <https://github.com/matt-dray/pico>

RemoteRef HEAD

RemoteSha ebd205ce17440e0d8c7175def27f4b54ff28d714

Contents

create	2
Index	3

`create`*Create a Minimal Package Skeleton*

Description

Generate a named directory in a specified location that contains the absolute bare minimum content for an R package: a DESCRIPTION file and an R/ folder, which contains a demo functions.R script file. The user will be prompted interactively to overwrite if the directory already exists.

Usage

```
create(name, dir)
```

Arguments

<code>name</code>	Character string, length 1. Name for your package. Alphanumeric or period characters only. Can't start with a number nor end with a period.
<code>dir</code>	Character string, length 1. Path to the directory where you want the package folder to be created.

Value

Nothing. A directory called `name` is created or overwritten at location `dir`.

Examples

```
## Not run: create("mypkg", "~/Desktop")
```

Index

create, [2](#)