## Package: tide (via r-universe)

August 11, 2024

8	
Title Manually Edit A Dataframe, Get Code to Reprod	uce It
Version 0.1.0	
<b>Description</b> Adjust a data frame manually with R's interpretable spreadsheet-like data editor and have simple based returned that reproduces the changes.	
License MIT + file LICENSE	
Imports clipr	
Encoding UTF-8	
LazyData true	
<b>Roxygen</b> list(markdown = TRUE)	
RoxygenNote 7.3.1.9000	
Repository https://matt-dray.r-universe.dev	
RemoteUrl https://github.com/matt-dray/tide	
RemoteRef HEAD	
<b>RemoteSha</b> 1e93bb6d9391a9cc518bf79fea0853d04a4	6f046
Contents	
tide	
Index	3
tide Edit Manually A Datafra	ume And Generate Reproducible Code

### Description

Calls the edit function to invoke a spreadsheet-like data-editor window where you can edit a data.frame object 'by hand'. Returns the edited object and optionally adds code to the clipboard that can recreate the edited object from the original.

2 tide

#### Usage

```
tide(dat, copy_to_clipboard = TRUE, write_path = NULL)
```

#### **Arguments**

dat A data.frame to be edited. Must be the name of the data.frame object only. copy\_to\_clipboard

Logical, defaults to TRUE. Copy generated code to the clipboard?

 $write\_path \qquad Character. \ A \ file \ path \ to \ save \ an \ R \ script \ containing \ the \ generated \ code \ snippets.$ 

The directory containing the file must exist.

#### **Details**

As noted in dataentry, 'the data entry editor is only available on some platforms and GUIs' and 'The details of interface to the data grid may differ by platform and GUI'.

#### Value

A data.frame. Optionally adds a string to the clipboard and/or writes to a file.

#### **Examples**

```
## Not run: beaver1_edited <- tide(beaver1)</pre>
```

# **Index**

```
\begin{array}{l} \text{dataentry}, 2 \\ \text{edit}, 1 \\ \text{tide}, 1 \end{array}
```